

SPURIOUS LIQUOR AND LIQUOR RELATED DEATH

(Year-wise)W.E.F. 1997

Year	Male	Female	Total	Age Group	Substance used to adulterated / name of liquor used				
					Methylated Spirit	Pethidine	BEDC	IMFL or Rakzu or Not specified	Total
1997	3	1	4	18 - 38	4	-	-	-	4
1998	-	-	-	-	-	-	-	-	-
1999	-	-	-	-	-	-	-	-	-
2000	7	2	9	27 - 63	6	2	-	1	9
2001	14	-	14	22 - 50	8	-	-	6	14
2002	-	-	-	-	-	-	-	-	-
2003	3	-	3	23 - 25	3	-	-	-	3
2004	6	-	6	20 - 48	6	-	-	-	6
2005	2	4	6	27 - 43	6	-	-	-	6
2006	3	-	3	39	-	-	-	3	3
2007	2	-	2	32 - 55	-	-	2	-	2
2008	4	-	4	25 - 32	-	-	2	2	4
2009	-	-	-	-	-	-	-	-	-
2010	-	-	-	-	-	-	-	-	-
2011	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-
2013	2	-	2	21 - 24	2	-	-	-	2
2014	8	1	9	25 - 51	-	-	-	9	9
2015	5	4	9	20 - 44	-	-	-	9	9
2016	20	3	23	25 - 67	-	-	2	21	23
2017	50	7	57	23 - 72	-	-	-	57	57
2018	6	-	6	23 - 60	-	-	-	6	6
2019	-	-	-	-	-	-	-	-	-
2020	-	-	-	-	-	-	-	-	-
2021	-	-	-	-	-	-	-	-	-
2022 (upto 21st July)	1	-	1	19	-	-	-	1	1
Grand Total	136	22	158		35	2	6	115	158

NOTE: From 2014, death related to liquor consumption are also recorded.

From 2014 onward most of deceased used IMFL or Country Liquor

Source : Mizoram Excise & Narcotics Dept

Dated Aizawl,
The

21.7.2022